Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

LO ST PL T MIL

a minimum of American

1- 87

PERENNIAL NURSERIES

SPRING and FALL

 $1 \cdot 9 \cdot 3 \cdot 5$



ALVA H. SMITH R. F. D. No. 2 PAINESVILLE, OHIO

Read Our Guarantee WE MEAN IT!

WE GUARANTEE

All Stock to be Absolutely Satisfactory

All Express Shipments to Arrive in Good Condition

All Plants to be True to Variety

OUR TERMS to customers whose responsibility and credit is known to us: 30 DAYS NET FROM DATE OF INVOICE. On 60 day accounts and older, 6 per cent interest will be charged. We offer a discount of 2 per cent for CASH WITH ORDER OR PAYMENT OF ACCOUNT IN FULL WITHIN 10 DAYS FROM DATE OF SHIPPING INVOICE.

6 plants at 12 rate; 25 plants at 100 rate

We Specialize in Prompt, Efficient Service Tell us when your dealings with us are

not to your absolute satisfaction

ATTENTION

PRICES LISTED HEREIN ARE FOR THE TRADE ONLY. All stock listed is subject to being sold at the time your order is received. All prices listed are for strong, 2-year-old, fieldgrown plants unless otherwise noted. Our only packing charge is for the boxes used, which are billed to you at cost. No charge is made, however, on cash orders.

Our first aim in all dealings is to please, for we know that only by so doing can our success continue. Everyone will concede that we must also profit by our transactions. In setting our prices, we have placed them as low as we can, considering the quality of stock we maintain, and still receive a reasonable return for our services.

All complaints other than those concerning variety of stock must be made within six days from receipt of goods, whereupon you will find us ready and willing to make prompt adjustment. Complaints for stock untrue to variety must be made at first blooming. Otherwise, no claims will be entertained.

We will in no way be responsible for productiveness of stock after it has been satisfactorily received by you, nor will we at any time be liable for more than the original purchase price of plants received.

> Inquiries and want-lists will be given prompt and careful attention

 Tomentosa. (Wolly Yarrow). A blanket of yellow flowers, very showy in the rockery, leaves wolly1. Millefolium Roseum (Rosy Milfoil). A very attractive form, leaves finely cut, flowers bright pink in dense heads. Height 1½ feet1. ACONITUM (Monkshood). The flowers are very showy, shaped like a helmet or hood from which the common name is derived. The leaves are of a lustrous green. All stock good and healthy and first class tubers. As this plant starts very early, we advise fall planting. Fischeri. Azure blue. October. 3 feet1. Spark's Variety. Darkest blue of all varieties. July and August. 2½ and 3 feet2. Wilsoni. True variety, mauve colored flowers. Hollyhock type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. 	00 25	5.00 6.00 7.00
 Tomentosa. (Wolly Yarrow). A blanket of yellow flowers, very showy in the rockery, leaves wolly1. Millefolium Roseum (Rosy Milfoil). A very attractive form, leaves finely cut, flowers bright pink in dense heads. Height 1½ feet1. ACONITUM (Monkshood). The flowers are very showy, shaped like a helmet or hood from which the common name is derived. The leaves are of a lustrous green. All stock good and healthy and first class tubers. As this plant starts very early, we advise fall planting. Fischeri. Azure blue. October. 3 feet1. Spark's Variety. Darkest blue of all varieties. July and August. 2½ and 3 feet2. Wilsoni. True variety, mauve colored flowers. Hollyhock type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. 	00 25	6.00
 ers, very showy in the rockery, leaves wolly1. Millefolium Roseum (Rosy Milfoil). A very attractive form, leaves finely cut, flowers bright pink in dense heads. Height 1½ feet1. ACONITUM (Monkshood). The flowers are very showy, shaped like a helmet or hood from which the common name is derived. The leaves are of a lustrous green. All stock good and healthy and first class tubers. As this plant starts very early, we advise fall planting. Fischeri. Azure blue. October. 3 feet1. Spark's Variety. Darkest blue of all varieties. July and August. 2½ and 3 feet2. Wilsoni. True variety, mauve colored flowers. Hollyhock type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. 	25	
 heads. Height 1½ feet1. ACONITUM (Monkshood). The flowers are very showy, shaped like a helmet or hood from which the common name is derived. The leaves are of a lustrous green. All stock good and healthy and first class tubers. As this plant starts very early, we advise fall planting. Fischeri. Azure blue. October. 3 feet1. Spark's Variety. Darkest blue of all varieties. July and August. 2½ and 3 feet2. Wilsoni. True variety, mauve colored flowers. Hollyhock type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. 		7.00
 ACONITUM (Monkshood). The flowers are very showy, shaped like a helmet or hood from which the common name is derived. The leaves are of a lustrous green. All stock good and healthy and first class tubers. As this plant starts very early, we advise fall planting. Fischeri. Azure blue. October. 3 feet1. Spark's Variety. Darkest blue of all varieties. July and August. 2½ and 3 feet2. Wilsoni. True variety, mauve colored flowers. Hollyhock type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. 		7.00
 shaped like a helmet or hood from which the common name is derived. The leaves are of a lustrous green. All stock good and healthy and first class tubers. As this plant starts very early, we advise fall planting. Fischeri. Azure blue. October. 3 feet1. Spark's Variety. Darkest blue of all varieties. July and August. 2½ and 3 feet2. Wilsoni. True variety, mauve colored flowers. Hollyhock type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. Saxatile Campactum (Basket of Gold). Used for borders, 	25	
 Fischeri. Azure blue. October. 3 feet1. Spark's Variety. Darkest blue of all varieties. July and August. 2½ and 3 feet2. Wilsoni. True variety, mauve colored flowers. Hollyhock type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. Saxatile Campactum (Basket of Gold). Used for borders, 	25	
 August. 2½ and 3 feet2. Wilsoni. True variety, mauve colored flowers. Hollyhock type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. Saxatile Campactum (Basket of Gold). Used for borders, 	40	7.00
 type 6 to 9 feet. October3. AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May1. ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. Saxatile Campactum (Basket of Gold). Used for borders, 	00 1	0.00
 AJUGA—Reptans (Bugle Flower). For growing under trees, creeping habit, used in rock gardens, flower purplish-blue in May ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer1. Saxatile Campactum (Basket of Gold). Used for borders, 	00 1	5.00
ALYSSUM—Argenteum. Leaves silvery, flowers in yellow clustres, blooms practically all summer 1. Saxatile Campactum (Basket of Gold). Used for borders,		
clustres, blooms practically all summer 1. Saxatile Campactum (Basket of Gold). Used for borders,	.00	6.00
anounce concerned with participant and an a second	00	6.00
grayish-green leaves with brilliant golden flowers early in spring 1.	.00	6.00
ANCHUSAItalica Dropmore (Alkanet). Tall growing plant of dark blue flowers in profusion, 4 to 5 feet in	00	0.00
height. Blooms in mid-summer1. Myosotidiflora. This is a Russian species. Grows to the	.00	6.00
	.50	8.00
ANEMONE Pulsatilla (Pasque Flower). One of the early blooming plants in the rockery. The flowers are of a		
	.50	8.00
ANTHEMIS-Kelwayii (Hardy Marguerite). The yellow		_
daisy. Valuable as a cut flower, 2 feet 1. AUBRIETA—Graeca (Purple Rock Cress).Very attractive, resembles Arabis in growing appearance, flowers of	.25	7.00
	.25	7.00
AQUILEGIA—(Columbine). One of the best perennials found in the border. Blooms in the early summer. Valuable for cutting and also used in rock gardens. 18 inches.		
Alpina. A dwarf variety, short spurred, Blue flowers1.	.00	6.00
Blue Shades. Selected plants of the blue shades 1.		7.00
Dobbies Imperial Hybrids. New, long spurred hybrids of a large range of colors 1.	.25	7.00
		7.00
		7.00
ARABIS—Alpinus (Rock Cress). This rock plant blooms soon after snow leaves in the spring. The spreading		
ARMERIA—(Sea Pink). Used for rock garden planting, clumps of grass like foliage with small clusters of flowers on stiff wiry stems. 8 to 12 inches.	.00	6.00
Laucheana. Flowers bright rosy red. 6 inches high. May		
and June 1. Maritima Splendens. Pink form of the above 1.	FO	8.00

	D 10	D 100
ARENARIA—Caespitosa Vera (Sandwort). Mat forming plant. Very attractive when placed among flag-stones	Per 12	Per 100
in garden walks	1.50	8.00
ARTEMISIA—Lactiflora (Mugwort). Finely cut foliage with fragrant creamy white flowers. 4 feet. August Silver King (Ghost Plant). Silver foliage that is used	1.00	6.00
considerably when dried	1.50	8.00
ASCLEPIAS — Tuberosa. (Butterfly Weed.) Is one of the most attractive native plants. Flat topped clusters of orange red flowers during July and August. 2 feet	.75	5.00
HARDY ASTER —(Michaelmas Daisies.) These plants are valuable as their blooming periods are at a time when flowers are few.		
Abendrothe. Rose, 4 feet	1.50	8.00
Climax. One of the best, 4 feet. Lavender-blue	1.50	8.00
Mauve Cushion. Dwarf growing, soft mauve, 10 inches	1.50	8.00
St. Edgwin. Soft pink, 2½ feet	1.50	8.00
White Climax. Strong growing, White flowers	1.50	8.00
ASTER—Alpinus. This alpine plant blooms in May and June The flowers are of purplish blue and very showy.	1.25	7.00
8 to 10 inches	1.40	1.00
BAPTISIA—Australis (False Indigo). A plant that should		
be used more. Is very striking, flowers of dark blue.	1.25	7 00
2 feet	1.20	7.00
BOCCONIA—Cordata (Plume Poppy). Very large leaves of silvery green. Flowers of creamy white produced on upright panicles. Background subject growing to a height of 8 feet	1.25	7.00
BOLTONIA —(False Chamomile). Tall growing, aster-like flowers, useful for cutting.		
Asteroides. Pure white, 6 feet	.75	5.00
Latisquama. Lavender-pink, 5 feet	.75	5.00
The second se		
CALAMINTHA—Alpina. A very good trailer for the rock- ery. Thrives well in a sunny position. Flowers of deep		
blue during June and throughout the summer	1.50	8.00
	1.00	0.00
CAMPANULA —(Bellflower). There is not a group of flowers which possess such rare beauty.		
Media (Canterbury Bell). Blue, rose and white	1.25	7.00
Calycanthema (Cup and Saucer. Blue, rose and white	1.25	7.00
Carpatica (Carpathian Hare Bell). Blue	1.25	7.00
CARNATION-Grenadin. An abundance of double and		
semi-double flowers all summer. Useful for cutting,		
either commercially or in the garden. The hardiest		
out-door carnations in the following colors: Pink, Red,		
and White	1.50	8.00
CASSIA-Marilandica (American Senna). Resembles a lo-		
cust in growth, with yellow pea shaped flowers. 4 feet	1.25	7.00
CENTAUREA-Montana (Mountain Bluet). Fine border		
plant and very showy. 18 inches high	1.00	6.00
Dealbata. Lilac pink, cut leaves	1.00	6.00
Macrocephala. Thistle-like flower of yellow, blooms in	2000	0.00
July and August. 4 feet	1.00	6.00
CERASTIUM-Tomentosum (Snow in Summer). This rap-		
id growing perennial is useful for an early blooming		
plant in the rockery. Flowers white. 6 inches	1.00	6.00

CHIERANTHUS-Allioni (Wallflower). This is not a per-	Per 12	Per 100
ennial but a biennial. But has been one of the leading plants in the rockery for color effect. The flowers are of fiery orange and grows to a height of 10 inches		6.00
CHRYSANTHEMUMS—These late fall blooming plants are gaining more favor each season. Furnishing fine cut-		
flowers from October to November.		
Alice Howell. Orange yellow, large	1.00	6.00
Autumn Glow. Rose Crimson, large	1.00	6.00
Boston Bronze. Bronze, large	1.00	6.00
Eva. Dwarf, pink, large,	1.00	6.00
Fields of Snow. White button	1.00	6.00
Golden Queen. Large, pure yellow	1.00	6.00
Indian Red. Crushed strawberry red	1.00	6.00
L. Argentuillas. Large, scarlet, tipped yellow	1.00	6.00
Lillian Doty. Deep pink, excellent form	1.00	6.00
Little Bob. Red button, showy	1.00	6.00
Marie Antoinette. Pink, large	1.00	6.00
M. Roule. Large Bronze, very showy	1.00	6.00
Old Homestead. Large rose pink	1.25	6.00
Skibo. Yellow button	1.00	6.00
Victory. Dwarf, white, large	1.00	6.00
CIMICIFUGA—Racemosa (Black Cohosh). A very tall- growing plant gaining more favor each season as a backbround subject. Flowers are small but in large clusters, pure white. 4 feet	1.25	7.00
CLEMATIS—Recta (Shrubby Clematis). A perennial Clematis, white and fragrant flowers in clusters. June and July. 2 to 3 feet	1.50	8.00
COREOPSIS—Lanceolata (Tickseed). One of the oldest but still a favorite, good yellow daisy-like cut flower for practically all summer cutting	1.00	6.00
DAISY-Shasta King Edw. VII (Chrysanthemum Maxi- mum), Improved Alaska daisy, large white flowers	1.00	
valuable as a cut flower Hartje and Elder (Mayflowering). Available for Me- morial Day	1.00	6.00 6.00
 DELPHINIUM—(Larkspur). No garden is complete if it is not there, with all the striking shades of blue. The most profitable cut flower in existence. Belladonna. Light blue, blooms all summer, 1 year old 	1.00	0.00
plants	.75	5.00
Two year old clumps	1.25	7.00
Bellamosa. Dark blue, 1 year old plants	.75	5.00
Two year old clumps	1.25	7.00
		6.00
Blackmore and Langdon Hybrids. Our choice of the English strains. Flowers of the most pleasing colors and shades. 1 year	1.00	
English strains. Flowers of the most pleasing colors and shades. 1 year	$1.00 \\ 1.50$	
English strains. Flowers of the most pleasing colors and shades. 1 year Two year	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	8.00
English strains. Flowers of the most pleasing colors and shades. 1 year Two year Gold Medal Hybrids. Mixed colors of the best shades of	1.50	8.00
English strains. Flowers of the most pleasing colors and shades. 1 year Two year Gold Medal Hybrids. Mixed colors of the best shades of blue. 1 year old clumps	1.50 1.00	8.00 6.00
English strains. Flowers of the most pleasing colors and shades. 1 year Two year Gold Medal Hybrids. Mixed colors of the best shades of	1.50	8.00
English strains. Flowers of the most pleasing colors and shades. 1 year Two year Gold Medal Hybrids. Mixed colors of the best shades of blue. 1 year old clumps Two year old clumps DIANTHUS-Barbatus (Sweet William). Old fashioned	1.50 1.00	8.00 6.00
 English strains. Flowers of the most pleasing colors and shades. 1 year	1.50 1.00 1.50 1.00 .75	8.00 6.00 8.00
 English strains. Flowers of the most pleasing colors and shades. 1 year	1.50 1.00 1.50 1.00 .75	8.00 6.00 8.00 6.00

DIANTHUS—Deltoides (Maiden Pink). Good rock garden subject, trailer, dark green foliage and rosy pink	Per 12	Per 100	
flower Bleeding Heart). Has the	.75	5.00	
most beautiful foliage of all the perennial plants, and has heart-shaped flowers on racemes that bloom all	1 50	0.00	
Spectabilis (True Bleeding Heart). This is the old- fashioned Bleeding Heart. Very valuable for cutting	1.50	8.00	
and also forcing DICTAMNUS-(Gas Plant). Glossy green leaves very	2.00	15.00	
suitable in the border, flowers and leaves both have a fragrance of a lemon. Rubra. Red flowers, 2 feet high	1.50	8.00	
Alba. White flowers, 2 feet high DIGITALISGloxiniaeflora (Foxglove). A very striking	1.50	8.00	
perennial for the border. Blooms of a thimble-shape in separate colors of rose, purple and white in July and August	1.50	8.00	
Shirley Hybrids. Improved Gloxiniaeflora in a mixture of colors	1.50	8.00	
DORONICUM —Excelsum (Leopard's Bane). The single flowers are produced on long, stiff stems, resembling a very large yellow daisy. Blooming very early in			
spring. Fine for cutting. 2 feet	1.50	10.00	
ECHINACEA—Purpurea (Purple Cone Flower). Very at- tractive, large daisy-like flowers with a large cone- shaped center, reddish purple flowers from July to October. 3 feet	1.00	6.00	
ECHINOPS—Ritro (Globe Thistle). Attractive thistle with large steel blue flowers which if cut and dried will keep natural color. Grows 3 feet high	1.50	8.00	
EULALIA—Ornamental grasses, good for a tropical effect, and large beds, for edging ponds and streams. Gracillima Univittata (Japan Rush). Long green leaves			
4 to 5 feet high Japonica Variegata. Long narrow leaves striped green	1.00	6.00	
and whiteJaponica Zebrina (Zebra Grass). Named from the stripes	1.00	6.00	
of yellow across leaves every 2 or 3 inches EUPATORIUM—Coelestinum (Mist Flower). Myriads of	1.50	8.00	
small azure-blue flowers. August to September. Val- uable for cutting purposes. 2 feet high*	1.25	7.00	
EUPHORBIA —Corollata (Flowering Spurge). This plant grows to a height of 3 feet. During the month of Au- gust it is covered with little white flowers. Very useful as a mixture with other cut flowers	.75	6.00	
FESTUCA—Glauca (Blue Fescue). Dwarf grass of steel blue. In tufts, growing about 4 inches high, used for borders or rockery	1.00	6.00	
FUNKIA—Caerulea. Very large leaved variety, flowers of a lavender purple Undulata Variegata (Plantain Lily). Very attractive	1.25	7.00	
when arranged around group of shrubs or rose beds. Very valuable as a forcing plant for Memorial Day	1.50	8.00	

	Per 12	Per 100
FUNKIA—Continued Lanceolata. Lance shaped leaves and does well in the shade, flowers of delicate lilac, good foundation plant	.75	5.00
Subcordata. Grand. Alba (White Day Lily). Very at- tractive, large white sweet scented flowers in August	1.50	8.00
GAILLARDIA—Grandiflora (Blanket Flower). Deserves a place in all perennial gardens. Very striking range of color; thrives well under all conditions. 1½ to 2 feet	.75	6.00
GENTIANA—Andrewsii (Bottle Gentian). The closed gen- tian, interesting because of the large blue buds it forms which never open. 1½ feet high	1.00	7.00
GEUM—Lady Strathden (Avens). Very showy plants for borders, also used for cutting purposes. Flowers of rich yellow, growing to height of 18 inches. Pots	1.50	8.00
Mrs. Bradshaw. Growing nature same as above, but flowers are of a rich crimson. Pots	1.50	8.00
GYPSOPHILA—Paniculata (Baby's Breath). Useful as a filler and makes attractive winter boquet, misty- white flowers all summer. 1 year old roots	$.60 \\ 1.00$	4.00 6.00
Strong two year roots Bristol Fairy. A plant that was needed very much by the florist trade. Flowers of a large double white. Strong	1.00	0.00
grafted plants, field grown Repens. Trailing from and very attractive when placed among rocks in the rockery. Flowers white and pink.	2.00	15.00
July and August	1.25	7.00
HELIOPSIS—Excelsa (Orange Sunflower). Orange-yel- low flowers on long stem. Good for cutting	1.00	6.00
HEMEROCALLIS—Flava (Lemon Lily). Sweet scented yellow flowers. Earliest to bloom. 3 feet high Thumbergi. Later blooming lemon lily	1.50 .75	$\begin{array}{c} 8.00\\ 5.00\end{array}$
HEPATICA—Triloba. A low growing native plant. Blooms soon after snow leaves in spring. Is well worth while naturalizing	1.00	6.00
HEUCHERA—Brizoides (Coral Bells). Dainty refined edg- ing and rockery plants; leaves escalloped and purple tinged in low tufts. Slender and upright stems of		
light pink flowers Brizoides. But flowers	1.25	7.00
of a bright coral crimson. 2 feet	1.50	8.00
HIBISCUS—(Marsh Mallow). Largest flowered perennial, good border subject. In separate colors, red, pink, and crimson eye. 4 feet high	1.00	6.00
HOLLYHOCK (Althaea). A constant, old-fashioned gar-		
den favorite, in separate colors of double flowers, crimson, yellow, white, maroon and pink Exquisite. A new introduction with mixed colors and	.75	5.00
curled edges Imperator. One of the latest introductions, also frilled	1.00	6.00
and fringed edges, flowers of all shades Mammoth Fringed. Mixed singles	$\begin{array}{c} 1.00\\ .75\end{array}$	$\begin{array}{c} 6.00\\ 5.00\end{array}$
IBERIS—Sempervirens (Candytuft). Evergreen foliage, blooms early spring, covered with clusters of white flowers. Good rock garden plant. 12 inches high		8.00

IRIS-Germanica ("Fleur de Lis"). The bearded Iris is	Per 12	Per 100
one of the most attractive and satisfactory plants for season to season effects in any garden. (S) Standards. (F) Falls.		
Alcazar. Very large flowers, (S) Light mauve (F) deep		
violet, golden bronze throat Ambassadeur. (New.) (S) Bronze effect of yellow, (F) Velvety violet-carmine, with beard conspicuous.	.60	4.00
Orange brown specked. Late bloomer	1.00	6.00
Caprice. Colors effect a red-purple self. (S) Mathew's purple, reticulated darker on lighter claw. (F) Violet- purple to true purple becoming bluer as it fades. Frag-		
rance of bruised grapes Lent A. Williamson. (S) Lavender-violet, bronzed at	.50	3.00
claw. (F) Velvety cotinga purple, bronzed and veined on wide outer haft, yellow along the showy orange		
beard. Tall grower and rating high	.60	4.00
Lord of June. (S) Lavender or light chicory blue. (F) Lavender-violet, whitish outer haft, with bronze, wide-		
ly spaced venstions Loreley. (S) Amber yellow, flecked raisin purple, (F) Velvety blackish red purple, veined violet-purple on	.75	5.00
lavender outer haft, and reticulated red brown on bronze base	.50	3.00
Rhein Nixe. (S) Pale lavender-white, bronzed on claw, (F) true purple in sun to pansy violet, or hyacinth		
violet in dull light Shekinah. (S) Sulphur yellow to pinard yellow reticulat- ed olive on claw. (F) Empire yellow to light yellow	.50	3.00
on outer blade, haft reticulated darker to olive. Beard	CO	4.00
coarse, dense, projecting, conspicuously orange tipped Souv. de Mme. Gaudichau. (S) Bradley's violet. (F) brilliant velvety blackish purple, veined on bronzed	.60	4.00
outer haft	1.50	8.00
JAPANESE IRIS-(Iris Kaempferi). Last of the wonder- ful Iris procession to bloom. Blooming in June and July with a very large variety of colors.		
Gekka-no-nami. Earliest to bloom, of a pure white, with		
a creamy-white stigmas Koki-no-Iro. Rich royal purple	$\begin{array}{c} 1.25 \\ 1.25 \end{array}$	$\begin{array}{c} 7.00 \\ 7.00 \end{array}$
Zama-no-mori. Three petal variety, large flowers, white with a heavy azure-blue zone, short white standards		
margined blue Mahogany. Very late, deep mahogany-red	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	$\begin{array}{c} 9.00\\ 12.00\end{array}$
Uchin. Large, cerulean blue with extended blooming sea-		
son	1.50	10.00
LAVENDULA—Vera (Sweet Lavender). Very fragrant and one of the most loved plants of the old fashioned garden, a favorite because of delicate odor, silvery-		
gray foliage, long spike of blue lavender flowers	1.50	8.00
LATHYRUS—Latifolius (Everlasting Sweet Pea). A climbing plant, can be trained for trellis work or ground cover. Beautiful sweet pea flower in red, pink	1.00	0.00
and white LIATRIS—Pycnostachya (Kansas Gay Feather). Very de-	1.00	6.00
sirable and interesting to grow. Valuable for cutting.		F 0.0
5 feet high, rosy purple flower Scariosa. This form blooms a little before Pycnostachya,	.75	5.00
flowers purple	1.00	6.00

LINUM—Perenne Blue (Perennial Flax). This evergreen plant is very showy, with small buttercup flowers of blue drooping over sides of plant, good rock garden	Per 12	Per 100
subject. 18 inches high	1.25	7.00
LOBELIA—Cardinalis (Cardinal Flower). Thrives well in shade, good for pond or stream plantings. Cardinal red flower. 2 feet high	1.25	7.00
Siphilitica—(Great Lobelia). A blue form of the above, July to September	1.00	6.00
LUPINUS—Polyphyllus (Lupine). A graceful growing plant with flowers on long stem. Does well in shade. 3 feet high. Blue, rose and white	1.25	7.00
Harkness Regal Mixture. A mixture of charming new colors	1.25	8.00
LYCHNIS—Chalcedonica (Maltese Cross). Very brilliant red, 2 to 3 feet high Viscaria—Splendens Fl. Pl. (Catchfly). Evergreen foli-	1.00	6.00
age, fragrant deep red flowers, good for cutting	1.50	8.00
LYTHRUM—Roseum Superbum (Loosestrife). A shrubby growing perennial. Flowers rose colored on leafy ter- minal spikes. 2½ to 3 feet	1.25	7.00
MERTENSIA—Virginica (Blue Bells). This native wood- land plant has found great favor for forcing purposes. And also is very attractive when placed among gar- den plantings. Flowers of blue changing to a pink	1.00	6.00
MONARDA—Cambridge Scarlet (Bee Balm). Highly aro- matic foliage, flower a vivid scarlet, June to August. Attaining a height of 2 to 3 feet	1.00	6.00
MYOSOTIS—Palustris (Forget-me-not). Blooms profusely in early summer, flower of azure blue, in May and June. Dwarf, and does well in wet places	1.00	6.00
NEPETA—Mussini (Ground Ivy; Catnip). A useful and pretty rock plant, compact and quick growing, beauti- ful flowers of lavender in masses during June. 18 in.	1.00	7.00
OENOTHERA—Missouriensis (Evening Primrose). Large single yellow flowers, 3 to 4 inches across, blooming in the early morning and early evening. Closing through- out the day. 12 inches	1.50	8.00
PAPAVER —(Poppy). What can give more startling effect than oriental poppy in a background? Oriental These are grown from good and have blocked.		
Oriental. These are grown from seed and have bloomed one season with us. Large brilliant red flowers	1.00	6.00
Beauty of Levermere. Dark crimson, black blotch petals. Pots	1.50	8.00
Mrs. Perry. The best of the pink varieties. Pots	1.50	8.00
Olympia. Very large flowered, flowers brilliant scarlet. Pots.	1.50	8.00
PENTSTEMON—Barbatus Toreyi (Beard Tongue). Has slender, deep scarlet red flowers and light green foli- age. Blooms in June. 3 feet high	1.25	7.00

 HARDY PHLOX—These old fashioned favorites are needed in all hardy border plantings to make them complete. Our spring plantings were lost so will be unable to furnish only varieties listed until fall. B. Compte. French purple or wine color. The only Phlox 	Per 12	Per 100
of this color, we know Europa. White, crimson eye, improved Bridesmaid Miss Lingard. Early white, good cut flower variety. Very	$\begin{array}{c} 1.50 \\ 1.50 \end{array}$	$\begin{array}{c} 8.00\\ 8.00\end{array}$
fragrant. Pots	$1.25 \\ 1.25 \\ 1.50$	$7.00 \\ 7.00 \\ 7.00$
DWARF PHLOX AND ROCK GARDEN VARIETIES	1.00	1.00
 Amoena. A very showy plant in early spring. Flowers of brightest pink Subulata Atropurpurea. (New.) This new introduction, adds much to the desirability, to the creeping Phlox group. The flowers are of a rich wine color, and 	1.25	7.00
show up well in any planting	1.50	8.00
blue, darker eye. Slow growing Subulata Lilicina. This variety is a very rapid grower	1.25	7.00
and has a good appearance in rock plantings. Flowers of a light lilac	1.00	6.00
Flowers of bright rose pink in April and May. Very good Stellaria. A very attractive variety, very fine leaved,	1.00	6.00
flowers pale violet blue Subulata Alba. A pure white form of the above Subulata Vivid. Very dark green foliage. Flowers bright	$\begin{array}{c} 2.00\\ \textbf{1.00} \end{array}$	10.00 6.00
pink, fiery red eye	1.50	8.00
PHYSOSTEGIA —(False Dragon Head.) It is extremely beautiful. Blooms in August. 2 to 3 feet in height. Valuable for cutting.		
Virginica. Spikes of rosy pink flowers	.75 .75	$\begin{array}{c} 5.00 \\ 5.00 \end{array}$
Virginica. Vivid. One of the best compact growers, free bloomer, August to November. Flowers violet mauve	1.00	6.00
PINKS—An old favorite in the garden. Flowers clove- scented. Very valuable in the hardy border, also for		
cutting. Her Majesty. Pure white Furst Bismarch (New Hybrid). In constant bloom from June till frost. Will make a good rock garden subject. Flowers of rose-pink in clusters, averaging a foot in	1.25	8.00
height. PHYSALIS—Francheti (Chinese Lantern Plant). A plant	1.25	8.00
that is a favorite for Hallowe'en decorations. Pro- duces scarlet lanterns that hold color well when dried	.75	5.00
PLATYCODON—Grandiflorum (Chinese Balloon Flower.) When in bud looks like an inflated balloon. Border plant and attractive. Blue or white	1.00	6.00
PYRETHRUM—Hybridum (Painted Daisy). Finely cut fo- liage, daisy like flowers of various shades of pink. Very valuable as a cut flower. June and July	1.00	6.00
PRIMULA—Veris (English Cowslip). One of spring's first flowers for rock gardens. Attractive plants for spring bedding designs, flowers of various shades	1.50	8.00

	Per 12	Per 100
PLUMBAGO—Larpentae (Leadwort). Highly recommend- ed for borders. Flowers of cobalt-blue with glossy green foliage, which in autumn turn to a reddish		
bronze	1.25	7.00
RANUNCULUS—Repens fl. pl. (Creeping Buttercup). Very rapid growing, used very much in rockery. Flow- ers are a double yellow button	1.00	C 00
RUDBECKIA—Golden Glow. A showy character for mass work in borders. Large flowers of double yellow. 5	1.00	6.00
to 6 feet high Purpurea. See Echinacea Purpurea.	1.00	6.00
SALVIA—Azurea Grandiflora (Hardy Sage). Very attract-		
ive and good cut flower. Flowers of azure blue, in August until frost. 3 to 4 feet Pitcherii. A deep gentian blue form of the above. Very	1.00	6.00
attractive in mass planting	1.00	6.00
SAPONARIA—Ocymoides (Soapwort). A very pretty dwarf creeper, covered with small bright pink flowers	1 00	C 00
during July and August	1.00	6.00
SCABIOSA—Caucasica (Pincushion Flower.) (Blue Bon- net.) A good cut flower. Flowers of light-blue. Blooms from June to September	1.50	8.00
SEDUM-(Stone Crop). These plants have found more	2000	0.000
and more favor, as a rock garden subject. Very drouth resisting and will thrive in almost any soil. Acre (Golden Moss). Bright yellow flowers, a dense car-		
pet	1.00	6.00
Album. Dwarf, spreading, white flowers		6.00
Glaucum Foliage nurple, good	$_{-1.25}$	7.00
Stahii. Compact growing, foliage crimson in fall Sarmentosum. Dwarf. A trailer used for hanging over	1.00	6.00
rockery work. Foliage yellow	$\begin{array}{c} 1.00\\ 1.00\end{array}$	$\begin{array}{c} 6.00\\ 6.00\end{array}$
Sieboldi. Glaucum foliage, pink flowers Spurium Coccineum. Creeping, crimson flower on red stem	1.00	6.00
Spectabile. Erect, grows 15 inches high, with clusters of	2000	0.00
light pink flowers in August and September	.75	5.00
Spectabile Brilliant. Bright red form of above Spectabile Variegata. A form of Spectabile, leaves varie- gated. The attractive variegation is an outstanding	.75	5.00
point in this rare perennial	1.50	8.00
SEMPERVIVUM (House Leek). A plant that has gained great favor in the rockery, for filling in crevices. Growing in rosettes.		
Arachnoidium (Cobweb). The tips of the leaves are con-		
nected together ly silvery threads	1.25	7.00
Alberti. Evergreei, creeping, white flowers	1.25	7.00
Globiforum. Russian variety, very good Tectorum (Common House Leek). This is the most com-	1.25	7.00
mon form in use	1.00	6.00
SILENE-Schafta (Moss Campion). A Rockery plant		
growing to a height of 6 inches. Flowers rose or pur- ple and leaves in small rosettes	1.2 5	8.00
SPIREA—Filipendula (Dropwort). This plant has a fern- like resemblance The flowers are white	1.25	7.00
STATICE—Latifolia (Sea Lavender). Tufts or clumps of thick, leathery foliage and immense panicles of delicate blue flowers. Individual flowers very minute. Will last		
for months when dried	1.50	8.00

۰.

STOKESIA-Cyanea Blue (Stokes' Aster). They are esp		Per 100
cially recommended for the front of border and may used as a cut flower		6.00
THYMUS—(Thyme). The mountain thymes are very sirable for the rock garden, having a romantic sm	de- Iell	
Azoricus. Rose purple, trailer	1.00	6.00
Citriodorus. Upright, flowers of lilac purple	1.00	6.00
Coccineus. Crimson, trailer	1.00	6.00
Albus. White flowers, trailer Languinosus (Woolly Thyme). Creeping habit leaves	1.00 of	6.00
a gray, with a woolly appearance	1.00	6.00
TRITOMA—Pfitzeri (Red Hot Poker). A magnificent a tumn cut flower. Flowers of orange scarlet, in Aug- and September	ust	8.00
TUNICA—Saxifraga (Tunic Flower.) This plant is a ve	orv	
dwarf ground cover. Creeper and resembles a f grass, with tiny pinkish flowers all summer	ine 75	5.00
VALERIANA Officinalis (Hardy Garden Heliotrop		
When in bloom has strong, sweet Heliotrope sce Flower spikes of white, tinted with rose	1.00	6.00
Coccinea. Flowers of reddish pink, very minute, in a		C 00
right panicles, good for cutting	1.00	6.00
VERONICA-Incana. Gray silvery foliage, flowers an	ne-	
thyst-blue. In July and August Longifolia Subsessilis (Speedwell). This is, perhaps, of of the most attractive of all blue-violet flowers	1.25 one	7.00
 borders. July to late September. 2 feet Rupestris (True Blue). Dwarf ground cover, light b flowers, very dark green foliage. One of the choic 	1.25 lue	7.00
rockery carpets	1.50	8.00
VINCA—Minor (Hardy Myrtle). Trailing evergreen pla For places grass will not grow and cemetery use	1.00	6.00
VIOLA—(Tufted Pansy). Easily called the ever-bloom pansy. Blooms from early April until hard freezi Brilliant color spots in the rockery.	ng.	
Admiration. Velvety wine purple Apricot. A new, rich warm apricot color. Much in	de-	6.00
mand	1.50	8.00
Blue Perfection. Light blue		6.00
Lutea Splendens. Bright yellow		6.00
White Perfection. Clean white		6.00
Jersey Gem. Rich violet	1.25	7.00
VIOLA ODORATA-(Sweet Violets). Prince of Wales. This sweet scented plant is very des	sir-	
able as a forcing proposition, and also a good subj for any garden planting. Flowers rich purple	ect 1.50	8.00
Double Russian. A double form of the above, and vehardy. Pots	ery 1.50	8.00
Rosina. A new form of Viola in a pink shade, use as a novelty in the rockery. Sweet scented as the ot	ful her	8.00
Violets. Pots**** YUCCA—Filmentosa (Spanish Bayonet). The stiff, bro sword-shaped leaves give it the name of Spanish B	oad,	0.00
onet. The flowers are bell shaped and creamy-wh	ite.	
5 feet Filamentosa Variegata. A variegated form of the abo	1.25	7.00
The leaves are striped with cream	1.50	10.00

•



